

Interaction of two solitary waves in a ferromagnet

Submitted by Herv  Leblond on Fri, 03/20/2015 - 16:34

Titre	Interaction of two solitary waves in a ferromagnet
Type de publication	Article de revue
Auteur	Leblond, Herv� [1]
Editeur	Institute of Physics
Type	Article scientifique dans une revue � comit� de lecture
Ann�e	1995
Langue	Anglais
Date	1995
Num�ro	13
Pagination	3763-3784
Volume	28
Titre de la revue	Journal of Physics A: Mathematical and General
ISSN	0305-4470

R sum  en anglais
A type of solitary wave in a ferromagnet is found by a multiscale expansion method; it obeys the completely integrable Korteweg-de Vries equation. The interaction between a wave of this propagation mode and another known mode that also allows soliton propagation is studied. The equations describing the interaction are derived using a multiscale expansion method and then reduced to an integral form, and solved explicitly for particular initial data for which one of the waves can be considered as a soliton. A phase shift of this soliton appears. Transmission and reflexion coefficients are computed for the second wave.

URL de la notice <http://okina.univ-angers.fr/publications/ua9062> [2]

DOI [10.1088/0305-4470/28/13/022](http://dx.doi.org/10.1088/0305-4470/28/13/022) [3]

Lien vers le document <http://iopscience.iop.org/0305-4470/28/13/022/> [4]

Titre abr g  J. Phys. A: Math. Gen.

Liens

[1] <http://okina.univ-angers.fr/herve.leblond/publications>

[2] <http://okina.univ-angers.fr/publications/ua9062>

[3] <http://dx.doi.org/10.1088/0305-4470/28/13/022>

[4] <http://iopscience.iop.org/0305-4470/28/13/022/>

Publi  sur *Okina* (<http://okina.univ-angers.fr>)